EXPLORING OUTCOMES FOR CHILDREN WHO HAVE EXPERIENCED OUT-OF-HOME CARE

Children who experience out-of-home care are among the most vulnerable and disadvantaged groups in society



Evidence is needed to quantify the outcomes for children who have been in the WA out-of-home care system and **guide the implementation of out-of-home care reforms.**



To learn more about the life outcomes of children who have experienced out-of-home care, the Department of Communities commissioned Telethon Kids Institute to conduct a study.

The study

The study used linked data, to investigate selected life outcomes for children who have been in care, and to compare these outcomes with other children.

Linked data from health, education, corrective and child protection services was collected and analysed **for 3 groups of children** born between 1 January 1990 and 30 June 1995:



Care group



Maltreatment group

9,955 kids

Control group

1 or more periods in care (of more than 1 day)

1 or more maltreatment allegations but no time in care

Matched but with no child protection contact

Data was collected from birth **until 18-23 years** of age (i.e. age at 30 June 2013).

The Care group **included children with wide-ranging periods in care**, from two days up to 18 years:

54%

half were in care for two years or less

53%

half left care before the age of 13

65%

two-thirds had left care before turning 15.

The findings

Overall, **the Care group had poorer outcomes** in most areas of physical health, mental health, education and justice compared to the Maltreatment and Control groups.

Aboriginal children with child protection involvement were particularly likely to have poor outcomes in this study.

Selected outcomes



Hospital admission rates were:



2x higher for the Care group than for the Control group



1.5x higher for the Maltreatment group than for the Control group.



Contact with a mental health service as an adult was:



3x more likely for the Care group than for the Control group



2.5x more likely for the Maltreatment group than for the Control group.



Adult **death rates** (18+) were **about 3x higher** for both the Care group and the Maltreatment group than for the Control group.



The Care group was:



2.5x less likely to achieve WACE and 6x less likely to be university bound than the Control group.

The Maltreatment group was:



2x less likely to achieve WACE and 3.5x less likely to be university bound than the Control group.



Juvenile and/or adult **community-based sentences** were:



3.5x more likely for the Care group than for the Control group



2x more likely for the Maltreatment group than for the Control group.



Delivery-related hospital admissions were **2x higher** for both the Care and the Maltreatment group than for the Control group.



Of children born to a mother who had a period in out-of-home care:

40% had a substantiated maltreatment allegation25% had an out-of-home care placement.

Conclusions

The findings show that young people who have been in care are at high risk of a range of poor outcomes, even compared to other children who have experienced adversities.

It is clear that **the challenges** faced by children who experience out-of-home care **are complex and cannot be solved by one sector alone.**